- 1) A buffer solution contains 0.12 moles of propionic acid ( $HC_3H_5O_2$ ) and 0.10 moles of sodium propionate ( $NaC_3H_5O_2$ ) in 1.50 liters.
  - a. What is the pH of the buffer?
  - b. What is the pH of the buffer after the addition of 0.01 moles of NaOH?
  - c. What is the pH of the buffer after the addition of 0.01 moles of HI?

- 2) A 35.0-mL sample of 0.150 *M* acetic acid is titrated with 0.150 *M* NaOH. Calculate the pH after the following volumes of base have been added:
  - a. 17.5 mL
  - b. 35.0 mL
  - c. 35.5 mL
  - d. 50.0 mL

- 3) Calculate the solubility of the following in moles/liter:
  - a. AgI  $K_{sp} = 1.5 \times 10^{-16}$
  - b.  $Co(OH)_2$   $K_{sp} = 2.5 \times 10^{-16}$

4)	Will a precipitate form when 0.200 liters of 0.0060 $M$ Sr(NO <sub>3</sub> ) <sub>2</sub> is mixed with 0.800 liters of 0.040 $M$ K <sub>2</sub> CrO <sub>4</sub> ?
5)	Calculate the solubility of the following salts: a. $Ag_2CrO_4$ $K_{sp} = 9.0 \times 10^{-12}$
	b. Ag <sub>2</sub> CrO <sub>4</sub> in 0.100 <i>M</i> AgNO <sub>3</sub>