П	nit	1	_	Cha	pte	rΔ
u	1111	-	_	CIIIa	DIC	

Name _____

End of chapter practice problems

Period _____

- 1. Calculate the molarity of the following solutions:
 - a) 49.73 g H_2SO_4 in enough water to make 500 mL of solution.

1,01M

b) 5.035 g FeCl₃ in enough water to make 250 mL of solution.

0.12M

- 2. Calculate the molarity of the following solutions:
 - a) 21.18 g of $Fe(NO_3)_3$ in 1 L of water.

0.088M

b) 72.06 g of BaCl₂ in 500 mL of water.

0.69M

3. Calculate the concentrations of each of the ions in the following solutions:

a) 0.25 M Na₃PO₄

0,75 mc Nat, 0,25 mc Poy3

b) 0.87 M Na2CO3

4. Describe how you would prepare the following solutions:

a) 1 L of 1.5 M KMNO₄

237g Kma04+ADD TO 1 L MARK

b) 250 mL of 0.2 M AgNO₃

8,5 & AgNO3+ADD TO 250 ML MARK

- 5. Describe how you would prepare the following solutions:
 - a) 500 mL of 1.0 M H₂SO₄ from 17.8 M H₂SO₄

28ml Stock + ADD TO 472ML HZD

b) 1.5 L of 0.25 M KMnO₄ from 1.0 M stock solution.

0.375 L STOCK + ADD TO 1.125 L H20 (375mi)

c) 1.0 L of 0.15 M KBrO₃ from solid KBrO₃

25g KB, Oz + ADD TO 1.0 L MARK

6. A standard solution of KHP ($C_8H_5O_4K$) was made by dissolving 3.697 g of KHP in enough water to make 100.0 mL of solution. Calculate the KHP concentration.

7. A stock solution of sodium hydroxide is prepared by dissolving 120.0 g of NaOH in 500.0 mL of water. What is the molarity of the stock solution?

8. How many milliliters of 0.50 M Ca(OH)₂ are required to react with the HCl in 30 mL of a 0.12 M solution? The reaction of interest is:

$$2 HCl + Ca(OH)_2 \rightarrow CaCl_2 + 2 H_2O$$

$$3.6mL$$

- 9. Balance the following reactions:
 - a) $C_3H_8 + {}^5O_2 \rightarrow {}^3CO_2 + H_2O$
 - b) $Mg_3N_2 + \frac{3}{3}H_2O \rightarrow \frac{3}{3}MgO + \frac{7}{3}NH_3$
- 10. Complete and balance the following reactions:
 - a) ZNaCl(aq) + Hg2(NO3)2(aq) -> 2 NaNO3 (aq) + Hg2Cl2(5)
 - b) Ca(OH)2(0q) + Na2CO3(0q) → CaCO3(5) + 2 NaUH(0,q)
- 11. Write the molecular, complete ionic, and net ionic equations for the following reactions:
 - a) Aqueous sodium sulfide reacts with aqueous copper (II) nitrate.

b) Aqueous hydrogen fluoride reacts with aqueous potassium hydroxide to give water and aqueous potassium fluoride. $HF_{(aq)} + KOH_{(aq)} \rightarrow H_zO(l) + KF_{(aq)}$

12. What mass of CaCO₃ is produced when 250 mL of 6.0 M Na₂CO₃ is added to 750 mL of 1.0 M CaF₂?

13. What volume of 0.1379 M HCl is required to neutralize 10.0 mL of 0.2789 M NaOH solution?

14. How many mL of 1.50 M NaOH is required to neutralize 275 mL of 0.5 M H₂SO₄?

15. Complete and balance each acid-base equation (assume complete neutralization):

a)
$$2H_3PO_4 + 3Mg(OH)_2 \rightarrow Mg_3(PO_4)_2 + 6H_2O$$

16. What volume of 0.2 M NaOH is required to neutralize 50 mL of 0.1 M H₂SO₃?

17. A 30.0 mL sample of an unknown basic solution is neutralized after the addition of 12.0 mL of a 0.15 M HCl solution. What is the molarity of the monoprotic base?

18. Balance the following oxidation-reduction reactions. Identify the oxidizing and agents.

a)
$$Sn^{2+} + Cu^{2+} \rightarrow Sn^{4+} + Cu^{+}$$

 $2 Cu^{2+} + Sn^{2+} \rightarrow 7Cu^{+} + Sn^{+4}$

b)
$$Br_2 + SO_2 + H_2O \rightarrow H^+ Br^- + SO_4^2$$

 $2H_2O + 2Br_2 + SO_2 \rightarrow 2Br^1 + SO_4^2 + 4H^+$

19. Balance the following oxidation-reduction reactions taking place in acid solution:

a)
$$H_3AsO_4 + Zn \rightarrow AsH_3 + Zn^{2+}$$

 $8H^+ + H_3 AsO_4 + 472n \rightarrow AsH_3 + 4H_2O + 472n^{2+}$

b)
$$Cr_2O_7^{2-} + Cl \rightarrow Cr^{3+} Cl_2$$

 $14H^+ + Cr_2O_7^{-2} + GCl \rightarrow 2Cr^{3+} + 7H_2O + 3Cl_2$

20. Balance the following oxidation-reduction reactions taking place in basic solution:

b)
$$Co(OH)_3 + Sn \rightarrow Co(OH)_2 + HSnO_2$$

 $OH + Sn + 2 Co(OH)_3 \rightarrow HSnO_2 + H2O + 2 Co(OH)_2$